Physics Master Academy Only Teaching Noting Else.

Class X Mathematics –Standard (041) Sample Question Paper 2019-20

Max. Marks: 80 Duration: 3 hrs

General Instructions:

- (i) All the questions are compulsory.
- (ii) The question paper consists of 40 questions divided into 4 sections A, B, C, and D.
- (iii) Section A comprises of 20 questions of 1 mark each. Section B comprises of 6 questions of 2 marks each. Section C comprises of 8 questions of 3 marks each. Section D comprises of 6 questions of 4 marks each.
- (iv) There is no overall choice. However, an internal choice has been provided in two questions of 1 mark each, two questions of 2 marks each, three questions of 3 marks each, and three questions of 4 marks each. You have to attempt only one of the alternatives in all such questions.
- (v) Use of calculators is not permitted.


	SECTION A	
	Q 10 are multiple choice questions. Select the most appropriate answer from the en options.	
1	The decimal representation of $\frac{11}{2^3 \times 5}$ will a) terminate after 1 decimal place b) terminate after 2 decimal places c) terminate after 3 decimal places d) not terminate	1


2	Consider the following frequency distribution of the heights of 60 students of a class							1
	Height (in cm)	150-155	155-160	160-165	165-170	170-175	175-180	
	No of students	15	13	10	8	9	5	
	The upper a) 165 b) 155 c) 160 d) 170		median clas	s in the give	n data is			
3	The LCM c a) 12 b) 4 c) 20 d) 44	of smallest t	wo digit com	posite numb	per and sma	llest compos	site number is	1
4	equations l	be parallel		es represent $3x - y - 6x - 2y - 6x - 2y - 6x - 6$	5 = 0	llowing pair	of linear	1
	a) all re b) 10 c) 5/2 d) 1/2	eal values e	except 10					

5	If triangle ABC is right angled at C, then the value of sec (A+B) is	1
	a) 0	
	b) 1	
	c) $\frac{2}{\sqrt{3}}$	
	·	
	d) not defined	
6	If $sin\theta + cos\theta = \sqrt{2}cos\theta$, $(\theta \neq 90^\circ)$ then the value of $tan\theta$ is	1
	a) $\sqrt{2} - 1$	
	b) $\sqrt{2} + 1$	
	c) $\sqrt{2}$	
	d) $-\sqrt{2}$	
	$(1) - \sqrt{2}$	
7	Given that $sin\alpha = \frac{\sqrt{3}}{2}$ and $cos\beta = 0$, then the value of $\beta - \alpha$ is	1
	a) 0°	
	b) 90°	
	c) 60°	
	d) 30°	
	d) 30	
8	The point which divides the line segment joining the points (8, – 9) and (2, 3) in ratio 1: 2 internally lies in the	1
	a) I quadrant	
	b) II quadrant	
	c) III quadrant	
	d) IV quadrant	
9	The distance of the point P $(-3, -4)$ from the <i>x</i> -axis (in units) is	1
	a) 3	
	b) -3	
	c) 4	
	d) 5	
-		

	If A($\frac{m}{3}$, 5) is the mid-point of the line segment joining the points Q (-6, 7) and	1
	R $(-2, 3)$, then the value of m is	
	a) -12	
	b) -4	
	c) 12	
	d) -6	
	a) o	
(Q 1	1- Q 15) Fill in the blanks	
11	The total surface area of the given solid figure is	1
	If one root of the equation $(k-1)x^2 - 10x + 3 = 0$ is the reciprocal of the other, then the value of k is	1
	0.0	
	OR	
	The graph of $y = p(x)$, where $p(x)$ is a polynomial in variable x, is as follows:	
	V	
	$igwedge^{T}$	
	× X	
	The number of zeroes of $p(x)$ is	
	The number of zeroes of $p(x)$ is	
13		1

14	Fill the two blanks in the sequence 2,, 26, so that the sequence forms an	1
	A.P	
		4
15	A number is chosen at random from the numbers -5, -4, -3, -2, -1, 0, 1, 2, 3, 4, 5. Then the probability that square of this number is less than or equal to 1 is	1
	the probability that square of this number is less than of equal to 1 is	
(Q 1	6- Q 20) Answer the following	
(~		
16	Write one rational and one irrational number lying between 0.25 and 0.32	1
17	In the figure, if $\angle ACB = \angle CDA$, $AC = 6$ cm and $AD = 3$ cm, then find the length of AB	1
	Ç	
	A B	
	D	
18	If the angle between two tangents drawn from an external point 'P' to a circle of radius 'r'	1
	and centre O is 60 ⁰ , then find the length of OP.	
	OR	
	OR .	
	If the radii of two concentric circles are 4 cm and 5 cm, then find the length of each	
	chord of one circle which is tangent to the other circle.	
19	If the first three terms of an A.P are b, c and 2b, then find the ratio of b and c	1
20	Find the value(s) of k for which the quadratic equation $x^2 + 2\sqrt{2}kx + 18 = 0$ has equal	1
	roots	
	Section – B	
21	Find the number of natural numbers between 102 and 998 which are divisible by 2 and 5	2
	both.	_
22	Prove that the rectangle circumscribing a circle is a square.	2
	<u> </u>	






In an equilateral triangle, prove that three times the square of one side is equal to four times the square of one of its altitudes.

'Skysails' is that genre of engineering science that uses extensive utilization of wind energy to move a vessel in the sea water. The 'Skysails' technology allows the towing kite to gain a height of anything between 100 metres — 300 metres. The sailing kite is made in such a way that it can be raised to its proper elevation and then brought back with the help of a 'telescopic mast' that enables the kite to be raised properly and effectively.

Based on the following figure related to sky sailing, answer the questions:




- (i) In the given figure, if $\sin \theta = \cos (3\theta 30^0)$, where θ and $3\theta 30^0$ are acute angles, then find the value of θ .
- (ii) What should be the length of the rope of the kite sail in order to pull the ship at the angle θ (calculated above) and be at a vertical height of 200 m?


2

25	Jayanti throws a pair of dice and records the product of the numbers appearing on the dice. Pihu throws 1 dice and records the squares the number that appears on it. Who					
	has the better chance of getting the number 36? Justify?					
	O.D.					
	OR					
	An integer is chosen between 70 and 100, Find the probability that it is					
	(a) a prime number					
	(b) divisible by 7					
26	Isha is 10 years old girl. On the result day, Isha and her father Suresh were very happy as she got first position in the class. While coming back to their home, Isha asked for a treat from her father as a reward for her success. They went to a juice shop and asked for two glasses of juice.	2				
	Aisha, a juice seller, was serving juice to her customers in two types of glasses. Both the glasses had inner radius 3cm. The height of both the glasses was 10cm.					
	First type: A Glass with hemispherical raised bottom.					
	Second type: A glass with conical raised bottom of height 1.5 cm.					
	Isha insisted to have the juice in first type of glass and her father decided to have the juice in second type of glass. Out of the two, Isha or her father Suresh, who got more quantity of juice to drink and by how much?					
	Section C					
27	Given that $\sqrt{5}$ is irrational, prove that $2\sqrt{5}$ – 3is an irrational number.	3				
	OR					
	If HCF of 144 and 180 is expressed in the form 13m-16. Find the value of m.					
<u> </u>						

28	If the sum of first m terms of an AP is the same as the sum of its first n terms, show that the sum of its first (m+n) terms is zero.	3
29	In the figure, ABCDE is a pentagon with BE CD and BC DE. BC is perpendicular to CD. AB= 5cm, AE=5cm, BE= 7cm, BC= x-y and CD= x+y. If the perimeter of ABCDE is 27cm. find the value of x and y, given x, y \neq 0.	3
	OR	
	Solve the following system of equations:	
	$\frac{21}{x} + \frac{47}{y} = 110$	
	$\frac{47}{x} + \frac{21}{y} = 162, x, y \neq 0$	
30	Obtain all the zeros of the polynomial $x^4+4x^3-2x^2-20x-15$, if two of its zeroes are $\sqrt{5}$ and $-\sqrt{5}$.	3
31	Two friends Seema and Aditya work in the same office at Delhi. In the Christmas vacations, both decided to go to their hometowns represented by Town A and Town B respectively in the figure given below. Town A and Town B are connected by trains from the same station C (in the given figure)in Delhi.Based on the given situation, answer the following questions:	3



A TV reporter was given a task to prepare a report on the rainfall of the city Dispur of India in a particular year. After collecting the data, he analyzed the data and prepared a report on the rainfall of the city. Using this report, he drew the following graph for a particular time period of 66 days



Based on the above graph, answer the following questions:

- (i) Identify less than type ogive and more than type ogive from the given graph.
- (ii) Find the median rainfall of Dispur
- (iii) Obtain the Mode of the data if mean rainfall is 23.4cm

Section - D

Draw a triangle ABC with side BC=6.5cm, \angle B=30°, \angle A =105°. Then construct another triangle whose sides are $\frac{3}{4}$ times the corresponding sides of the triangle ABC.

OR

Construct a pair of tangents to a circle of radius 3 cm which are inclined to each other at an angle of 60°

36			•		side of a tr	•		e other two	4
37	A train covers a distance of 360 km at a uniform speed. Had the speed been 5km/hour more, it would have taken 48 minutes less for the journey. Find the original speed of the train.								
					OR				
	Solve the f	following ed	quation:						
	$\frac{1}{x}$.	$-\frac{1}{x-2}=3, x$	<i>:</i> ≠ 0, 2						
38	A petrol tank is in the form of a frustum of a cone of height 20 m with diameters of its lower and upper ends as 20 m and 50 m respectively. Find the cost of petrol which can fill the tank completely at the rate of Rs. 70 per litre. Also find the surface area of the tank.								
				C)R				
	Water is flowing at the rate of 15km/hour through a pipe of diameter 14cm into a cuboidal pond which is 50m long and 44m wide. In what time will the level of water in the pond rise by 21cm?								
39	The angle of elevation of an airplane from a point on the ground is 60° . After a flight of 30 seconds, the angle of elevation becomes 30° . If the airplane is flying at a constant height of $3000\sqrt{3}$ m, find the speed of the airplane.								
									<u> </u>
40	Daily wage Daily Wages (in Rs.)	es of 110 w 100-120	orkers, obt	ained in a si 140-160	urvey, are ta 160-180	bulated be	200-220	220-240	4
	Number of Workers	10	15	20	22	18	12	13	
	Compute t	he mean da	aily wages	and modal o	daily wages	of these w	orkers.		